




WEEKLY HEALTH REPORT

CURRENT MORBIDITY DATA FOR THE ARMY IN THE CONTINENTAL UNITED STATES

WEEK ENDED 12 APRIL 1946



ANNUAL MORBIDITY RATE FROM ALL CAUSES COMBINED

PER 1000 STRENGTH

DISEASE

INJURY

SPECIAL SECTION
ON
VENEREAL DISEASE

ARMY
MEDICAL
MAY 1 1946
LIBRARY

THIS DOCUMENT CONTAINS INFORMATION
AFFECTING THE NATIONAL DEFENSE OF THE
UNITED STATES WITHIN THE MEANING OF THE
ESPIONAGE ACT, 50 U. S. C., 31 AND 32, AS
AMENDED. ITS TRANSMISSION OR THE REVELA-
TION OF ITS CONTENTS IN ANY MANNER TO AN
UNAUTHORIZED PERSON IS PROHIBITED BY LAW.

WEEKLY HEALTH REPORT

CONTENTS

DATA FOR WEEK ENDED 12 APRIL 1946

	PAGE
NATURE OF THE DATA.	2
COMMENT ON CURRENT TRENDS	5
SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS	11
MORBIDITY DATA FOR INDIVIDUAL STATIONS (OTHER THAN GENERAL HOSPITALS) HAVING A STRENGTH OF 5000 OR OVER.	14
STATIONS WITH HIGHEST MORBIDITY RATES	21
CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST	22

VENEREAL DISEASE ADMISSION RATES IN FEBRUARY 1946

ANALYSIS OF VENEREAL DISEASE DATA.	21
MORBIDITY DATA FOR INDIVIDUAL STATIONS WITH COLORED STRENGTH OF 1000 OR MORE	29

WEEKLY HEALTH REPORT

NATURE OF THE DATA

The data presented here are taken from the Statistical Health Reports, WD AGO 8-122, rendered weekly to the Office of The Surgeon General by every hospital and separate dispensary in the continental United States. Troops in transit and certain small detachments are not required to submit reports; for this and other reasons, total strength of reporting units has been consistently about 1 percent below the actual strength of the Army in this country. The mean strength shown for individual stations is that of Army personnel attached or assigned for medical care and does not include organizations not on the post but dependent on the station for hospitalization.

Because of the desirability of placing the information in circulation at the earliest possible time following its receipt, figures are in general shown herein as reported. Where there is some doubt as to the accuracy of the reported figures, their verification is requested, and the fact that they have been so questioned is indicated by the symbol (!).

MORBIDITY DATA

Admissions are reported only for cases admitted to a medical installation (either to hospital or quarters) and not returned to duty within the same day, except for certain cases carded for record only (chiefly venereal disease cases treated on duty status, and deaths which occurred before admission to hospital or quarters). Admissions designated as "injury" comprise all "new" traumatisms (i.e., morbid conditions due to external causes, including poisons taken internally, results of exposure to heat, cold and light, as well as various types of wounds not due to enemy action) other than battle casualties. Under present conditions there would not be any direct admissions in the continental United States properly classifiable as battle casualties. All cases other than those of injury or battle casualty are classified as "disease."

Admission rates are shown for all causes combined, for all diseases combined, for injuries and for a few specific diseases. These rates are presented on an annual basis to facilitate comparisons with corresponding rates in annual and monthly reports. Such annual rates of admission indicate the number of admissions per thousand mean strength which would occur over a year's time if the current week's experience continued for a year.

The report also shows the number of cases of the more common communicable and certain other diseases of special interest. It may be noted that under the term infectious hepatitis are included cases reported as jaundice and cholangitis. Appended is a list of cases reported for the rarer communicable and certain other diseases.

The proportion of the average daily strength of the command which is confined to hospital or quarters (including patients evacuated from overseas) is given in the "Year-to-date" section of the summary table. The mean number of noneffectives per thousand strength shown in the weekly section of the summary table includes only patients admitted to hospital or quarters from activities in the Continental United States; these figures, therefore, are noneffective rates for troops stationed in the United States.

The number of enlisted men discharged during the week on Certificates of Disability for Discharge (CDD) are shown for individual stations. These data should be distinguished from the figures for "honorable discharges for physical and mental disqualification" assembled by The Adjutant General's Office; the latter include discharges for inaptness in addition to CDD's and are tabulated on a somewhat different basis (e.g., the April data represent April discharges processed by the AGO during April and May plus discharges prior to April which were processed in May).

In making comparisons between Service Commands it should be borne in mind that morbidity rates naturally tend to be higher in those Service Commands which have a relatively large number of General Hospitals and Ports of Embarkation. The presence of sizeable numbers of troops not under the jurisdiction of a Service Command (e.g. casuels, task force troops, etc.) affects the interpretation of the data from the viewpoint of Command responsibility.

MORTALITY DATA

Recent studies indicate that the reporting of deaths on WD AGO 8-122 is incomplete, especially in the case of deaths from injury. The resulting understatement in the mortality rate from injury may be as much as 10 percent and occasionally even more, but the death rate from disease is not materially understated. Therefore in computing mortality rates from injury and from all causes on the basis of the corresponding numbers of deaths, as shown in this report, an appropriate adjustment for the underreporting of such deaths must be made.

STATIONS WITH HIGHEST MORBIDITY RATES

Included in the report is a table listing the stations (having strength of 5000 or over) with the highest morbidity rates from all causes, from all diseases combined, from injuries, and from a few specific diseases. Not infrequently, the excessively high rates of admission for all causes and for all diseases combined reported from reception centers reflect a large number of venereal disease cases among newly inducted men. Therefore, more significant of high morbidity from disease are the rates of admission for disease excluding venereal infections existing prior to induction, which rates are also shown in the table. It should also be noted that reception, redistribution, and separation centers frequently report relatively large numbers of admissions arising from routine physical examinations of large bodies of troops.


EXPLANATORY MATTER

In reading the detail tables, it should be born in mind that admission rates based on small numbers of cases are not reliable. For this reason the symbol (?) is placed after admission rates computed on the basis of 5 or fewer cases.

Where the current week's data for a particular station have not been received, the latest available figures are substituted therefor and the symbol (X) is placed after the name of the station.

MORBIDITY FROM ——— ALL CAUSES ———— INJURY ONLY

CONTINENTAL UNITED STATES



RESTRICTED


OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

MORBIDITY FROM ————— DISEASE

RESTRICTED

————— COLDS INFLUENZA ETC.

CONTINENTAL UNITED STATES



RESTRICTED

COMMENT ON CURRENT TRENDS

MORBIDITY FROM: All Causes: (See chart on Page 3.)

Morbidity from all causes during the week ended 12 April decreased slightly, being reported at 602 admissions per 1000 troops per annum, as compared with 615 such admissions during the preceding week.

Injury: (See chart on Page 3.)

Injury admissions remained at 36 per 1000 troops per annum. Highest rate was that reported from the First Service Command (47 per 1000), ranging down to 25 per 1000 in the Military District of Washington.

Diseases:

(See chart on opposite page.)

Morbidity from all diseases in the United States as a whole during the week decreased from 579 to 566 admissions per 1000 troops per annum. Slight increases (about 3 per cent) are noted in the Second and Eighth Service Commands.

Respiratory Diseases:

(See charts on opposite page and Pages 6 and 7.)

The rate for colds, influenza, etc. decreased during the week from 131 per 1000 to 126 per 1000). Morbidity from these causes continued highest in the Third Service Command.

Admissions for all forms of pneumonia remained at 16 per 1000 troops per annum. Highest morbidity (29 admissions per 1000 troops per annum) was reported from the Third Service Command; rates ranged downward to 4 per 1000 (only three cases) in the First Service Command. Rates for pneumonias other than primary atypical decreased during the week from 5.6 to 4.4 per 1000 troops per annum. In the corresponding period of last year, this rate was 3.7 and

3.6 per 1000, while it moved from 5.8 to 6.1 in these weeks of 1944.

Venereal Diseases:

Admissions for "new not-EPTS" venereal diseases increased during the week, from 80 to 86 per 1000 troops per annum.

Other Communicable Diseases:

Morbidity from diarrhea and dysentery was reported at 3 admissions per 1000 troops per annum.

Rates for scarlet fever continued high; however, the current week's rate of 12.5 per 1000 represents a decrease of about 10 per cent under that reported in the previous week.

The rate for rheumatic fever reached 4.1 admissions per 1000 troops per annum during the current week.

Admissions for streptococcal sore throat decreased during the week from 3.9 to 3.2 per 1000 troops per annum.


MORBIDITY AT TRAINING CENTERS: (See table on Page 13.)

It has long been recognized that most respiratory diseases, common contagious diseases, and streptococcal infections present a more serious problem among men coming into the Army than among troops with comparatively long service. The table on page 13 furnishes a rough measure of this difference, since it shows morbidity at stations at which training centers for recruits are located. Separate totals for all stations having training centers and for stations at which no training centers are located are presented; in addition, totals are shown separately for training centers of the Air Forces, Ground Forces, and Service Forces.






VARIATIONS BY SERVICE COMMAND

MORBIDITY FROM

— ALL CAUSES
— COLDS, INFLUENZA, ETC.



VARIATIONS BY SERVICE COMMAND (CONT.)



OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION, HEALTH REPORTS BRANCH

COMMENT ON CURRENT TRENDS (CONT.)

It should be noted that a distinction cannot be made, on the basis of the Statistical Health Report, between those troops at a given station who are undergoing basic training and those who are engaged in other activities. Data must be shown for all troops at stations at which training centers are located; these data, therefore, cannot be said to measure morbidity among trainees alone.

The admission rate for diseases at stations having training centers exceeded that at other stations by about a third; this rate, however, decreased during the week by about 6 per cent at stations having training centers, and remained relatively unchanged at other stations.

Morbidity from colds, influenza, etc., at stations having training centers, while still three times that at other stations, moved downward during the week from 254 to 231 admissions per 1000 troops per annum. Rates at ASFTC's continued higher than those at Air Force and Ground Force centers.

Admissions for pneumonia at training center stations as a whole remained at 32 per 1000 troops per annum, contrasting with the rate of 10 at other stations; AAFBTC's continued to show highest morbidity. However, the rate at Ground Forces centers increased from 27 to 37 admissions per 1000 troops.

Morbidity from scarlet fever at stations having training centers dropped off during the week from 37 to 32 admissions per 1000 troops per annum. The rate for rheumatic fever moved downward, although 12 cases reported at Sheppard Field resulted in doubling last week's rate for AAFBTC's.

The venereal disease admission rate at training center stations as a whole continued lower than that for other stations, but the current week's increase over the preceding week was larger for training centers. (High venereal disease rates at ASFTC's are accounted for in large measure by the larger ratio of colored to white troops at these stations than at others.)

NONEFFECTIVE RATE: (See chart on Page 9.)

The noneffective rate for personnel stationed in the continental United States is estimated at 41.7 per 1000 troops for the week ended 12 April as compared with 33.9 per 1000 for the corresponding week of 1945.

PATIENTS REMAINING UNDER TREATMENT: 12 APRIL 1946:

(See chart on Page 9.)

The number of patients remaining in hospital in the Zone of Interior, including patients transferred from overseas, decreased during the week to 96,142 as compared with 99,809 at the end of the previous week.


The number of neuropsychiatric cases remaining was 6614 or about 200 less than at the end of the previous week. Nonbattle injury patients remaining numbered about 17,900. Battle wounded remaining decreased by about 700 to 22,176.

CERTIFICATES OF DISABILITY FOR DISCHARGE: (See p. 10.)

In the week ended 12 April there were 1922 enlisted personnel discharged by CDD (about 700 less than the previous week). These discharges included 61 accomplished at Air Force medical activities. Among them were 363 neuropsychiatric cases, about 100 fewer than were separated by this method last week.


NONEFFECTIVE RATE

CONTINENTAL UNITED STATES



PATIENTS REMAINING IN HOSPITAL

CONTINENTAL UNITED STATES



CERTIFICATES OF DISABILITY FOR DISCHARGE

CONTINENTAL UNITED STATES



WEEKLY HEALTH REPORT

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

RESTRICTED

SERVICE COMMAND	MEAN STRENGTH	A D M I S S I O N S																MEAN NUMBER OF NONEFFECTIVES PER 1000 STRENGTH	
		ANNUAL RATE PER 1000 STRENGTH						ANNUAL CASE RATE PER 1000 STRENGTH											
		ALL CAUSES		DISEASE		INJURY		COLDS, INFLU- ENZA, ETC. *		PNEUMONIA (INCL. ATYPICAL)		DIARRHEA AND DYSENTERY		VENEREAL (EXCL. EPTI)					
C U R R E N T W E E K C O M P A R E D W I T H P R E V I O U S W E E K																			
	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week	Previous Week	Current Week**	Previous Week**	
TOTAL UNITED STATES	1314009	1337149	602	615	566	579	36	36	126	131	16	16	3	2	86	80	42	43	
FIRST SERVICE COMMAND	36891	38753	583	507	536	484	47	23	87	76	4?	13	4?	7?	30	31	46	49	
SECOND SERVICE COMMAND	122457	126431	680	661	650	626	30	35	90	38	8	12	5	2?	68	48	44	44	
THIRD SERVICE COMMAND	141061	147383	806	842	776	811	30	31	244	265	29	18	2?	1?	128	122	43	41	
MIL. DIST. OF WASHINGTON	46627	47619	578	608	553	579	25	29	163	163	21	27	0	1?	60	45	47	49	
FOURTH SERVICE COMMAND	258517	270256	544	510	502	473	42	37	62	68	20	22	2	2	139	134	40	40	
FIFTH SERVICE COMMAND	104200	91165	464	605	432	568	32	37	88	110	10	10	3	2?	61	58	38	41a/	
SIXTH SERVICE COMMAND	80241	80996	499	490	459	458	40	32	113	90	10	19	2?	1?	58	58	37	39	
SEVENTH SERVICE COMMAND	96324	101012	592	638	565	614	27	24	155	181	15	22	2?	4	53	49	41	41	
EIGHTH SERVICE COMMAND	228293	228450	630	615	591	577	39	38	158	158	22	13	2	2	64	59	42	44	
NINTH SERVICE COMMAND	199398	205084	578	620	539	575	39	45	117	120	9	11	4	3	81	70	44	43	
C U R R E N T Y E A R T O D A T E C O M P A R E D W I T H C O R R E S P O N D I N G P E R I O D P R E V I O U S Y E A R																			
	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year	Previous Year	Current Year***	Previous Year***	
TOTAL UNITED STATES	1667207	2387242	632	648	601	597	31	51	173	168	17	13	3	7	74	44	81	78	
FIRST SERVICE COMMAND	56444	79338	548	706	521	657	27	49	139	167	10	9	6	7	36	54	139	114	
SECOND SERVICE COMMAND	156952	183588	652	701	627	657	25	44	143	166	13	11	6	6	63	50	100	107	
THIRD SERVICE COMMAND	167584	133305	793	709	766	668	27	41	266	171	20	13	2	6	103	61	67	88	
MIL. DIST. OF WASHINGTON	48382	51726	796	652	769	610	27	42	317	188	31	9	2	7	40	22	78	71	
FOURTH SERVICE COMMAND	335681	705252	564	631	532	573	32	58	123	144	21	15	2	7	110	47	68	68	
FIFTH SERVICE COMMAND	120844	135390	578	679	551	634	27	45	119	216	12	15	2	7	65	50	106	169	
SIXTH SERVICE COMMAND	100591	102669	564	684	537	648	27	36	121	191	18	20	3	5	53	49	120	125	
SEVENTH SERVICE COMMAND	136791	265629	736	601	712	560	24	41a	257	151	19	10	4	5	58	40	80	77	
EIGHTH SERVICE COMMAND	271280	708115	636	649	601	593	35	56	213	195	18	17	2	8	65	37	69	56	
NINTH SERVICE COMMAND	272658	472230	586	629	543	577	38	52	138	154	11	9	4	6	59	37	67	72	

WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 15
WEEK ENDING 12 April 1946

SUMMARY FOR TOTAL UNITED STATES AND THE SERVICE COMMANDS

SERVICE COMMAND	MEAN STRENGTH*	A D M I S S I O N S NUMBER OF CASES												NUMBER OF DEATHS				NUMBER OF DISPOSITIONS BY CDD
		MEASLES	MUMPS	SCARLET FEVER	M'COCCIG MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	MALARIA ACQUIRED		TUBERCULOSIS	STREPTO- COCCAL SORE THROAT	SCABIES	ALL CAUSES	DISEASE	INJURY	BATTLE CASUALTY	
									IN USA	OUT OF USA								
C U R R E N T W E E K																		
TOTAL UNITED STATES	1314009	215	308	317	13	104	302	76	12	211	73	80	232	38	16	20	2	1922
FIRST SERVICE COMMAND	36891	1	4	2		2	2	3	1	9		1	3	1		1		84
SECOND SERVICE COMMAND	122457	13	9	7		10	12	14	9	16	6	3	37	5	2	3		328
THIRD SERVICE COMMAND	141061	32	34	76	3	21	74	9		16	14	12	43	4	1	3		138
MIL. DIST. OF WASHINGTON	46627	6	21	21		7	8	2	2	1			7	3	3			41
FOURTH SERVICE COMMAND	258517	38	29	26	5	8	79	12		20	10	4	14	7	3	3	1	305
FIFTH SERVICE COMMAND	104200	4	12	25			9	8		14	5	3	8	1			1	204
SIXTH SERVICE COMMAND	80241	6	6	17		2	12	11		14	9	1	9					171
SEVENTH SERVICE COMMAND	96324	18	32	68	1	20	24			16	10	38	14	6	2	4		116
EIGHTH SERVICE COMMAND	228293	54	95	31	1	29	69	14		53	12	10	54	5	2	3		270
NINTH SERVICE COMMAND	199398	43	66	44	3	5	13	3		52	7	8	43	6	3	3		265
P R E V I O U S W E E K																		
TOTAL UNITED STATES	1337149	296	303	357	15	100	275	97	3	238	84	100	183	48	25	21	2	2623
FIRST SERVICE COMMAND	38753	5		4	1	2	4	4		7	2		4					118
SECOND SERVICE COMMAND	126431	18	19	9		3	18	23	2	13	13	4	35	7	3	3	1	300
THIRD SERVICE COMMAND	147383	48	48	98	1	7	35	11		20	9	14	24	4		4		247
MIL. DIST. OF WASHINGTON	47619	11	7	23	2	6	12	4		6	2	2	1	1		1		64
FOURTH SERVICE COMMAND	270256	40	38	48	1	14	94	16		42	4	3	9	6	3	3		423
FIFTH SERVICE COMMAND	91165	8	15	21	2	7	4	6		17	5	8	8	5	2	2	1	174
SIXTH SERVICE COMMAND	80996	6	7	18		3	17	10		12	14	19	8	1	1			477
SEVENTH SERVICE COMMAND	101012	30	25	68	1	30	40	5	1	19	13	34	13	6	5	1		159
EIGHTH SERVICE COMMAND	228450	69	69	31	4	25	34	14		59	15	13	53	13	9	4		279
NINTH SERVICE COMMAND	205084	61	75	37	3	3	17	4		43	7	3	28	5	2	3		382

FORM SG-396C REVISED 2 DEC. 1944

* SEE NATURE OF THE DATA, PAGE 2

RESTRICTED

WEEKLY HEALTH REPORT

VOLUME VI REPORT NO 15
WEEK ENDING 12 April 1946

SUMMARY OF TRAINING CENTERS

RESTRICTED

	MEAN STRENGTH**	ADMISSIONS PER 1000 TROOPS PER ANNUM													
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS
TOTAL UNITED STATES	1314009	602	566	36	126	16	3	86	9	12	13	1	4	12	3
Stations without Training Centers	925672	550	514	36	81	10	3	91	7	9	4	0	3	6	4
Stations having Training Centers	388337	725	688	37	231	32	1	74	13	21	32	1	7	27	1
Stations having ASFTC's ^{1/}	214810	784	753	31	262	25	17	99	16	23	44	17	7	20	2
Stations having AAFBTC's ^{2/}	49115	619	593	26	131	51		18	11	28	10	17	14	47	
Stations having AGFRTC's ^{3/}	124412	666	613	53	218	37	3	52	8	14	19	17	3	29	17
		<u>1/</u> ARMY SERVICE FORCES TRAINING CENTERS.													
		<u>2/</u> ARMY AIR FORCES BASIC TRAINING CENTERS.													
		<u>3/</u> ARMY GROUND FORCES REPLACEMENT TRAINING CENTERS.													

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	COLDS INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	
FIRST SERVICE COMMAND	36891	583	536	47	87	4?	4?	30	1	4	2		2	2	3	1		1	84
Devens, Ft., Mass. 4/	16697	654	623	31	69	3?		25		1				1					
Westover Field, Mass.	5544	516	469	47?	150	9?		56		3				1					
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	14650	525	461	64	85	4?	11?	25	1		2		2		3	1		1	84
SECOND SERVICE COMMAND	122457	680	650	30	90	8	5	68	13	9	7		10	12	14	5	2	3	328
Dix, Ft., N. J. 4/	49023	726	709	17	65	8		48	2		1		1	8	7				4
Kilmer, Co., N. J.	24986	684	672	12	71	12		137	4	3	2			2	5				2
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	48448	632	580	52	126	5?	12	52	7	6	4		9	2	2	5	2	3	322
THIRD SERVICE COMMAND	141061	806	776	30	244	29	2?	128	32	34	76	3	21	74	9	4	1	3	138
Aberdeen Prov. Grd., Md. 1/	22595	1204	1176	28	661	18		110	4	6	26		1	8					1
Eastis, Ft., Va. 1/	11991	1318	1275	43	434	26		178	10	7	2			6	1				
Geo. G. Meade, Ft., Md. (RH) 4/	22882	670	650	20	80	25		177	2	1			14	10	5	3		3	17
Lee, Co., Va. (RH) 1/	36548	753	729	24	184	65		141	10	15	43	3	5	45	1				8
Pickett, Co., Va. #	15823	631	615	16?	135	3?		184	4	3	1								4
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	31222	574	526	48	118	12	8?	40	2	2	4		1	5	2	1	1		108

FORM SG-945 11 DEC. 1944

RESTRICTED

** DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

** SEE NATURE OF THE DATA, PAGE 2.

1/ ARMY SERVICE FORCES TRAINING CENTER.
4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES							ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
MILITARY DISTRICT OF WASH.	46627	578	553	25	163	21		60	6	21	21		7	8	2	3	3		41
Belvoir, Ft., Va. (RH) 1/	21091	624	592	32	222	42		79	2	17	20		7	7	1				8
Washington Gen. Disp., D. C.	7366	395	381	14?	141			7?	1	2									
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	18170	598	578	20	103	6?		60	3	2	1			1	1	3	3		33
FOURTH SERVICE COMMAND	258517	544	502	42	62	20	2	139	38	29	26	5	8	79	12	7	3	3	305
Benning, Ft., Ga.	23541	866	795	71	73	18	2?	371	13		1		1		1	1		1	6
Bragg, Ft., N. C. 3/ 4/	39343	414	390	24	66	15		46	5	3	1	2	2	8	1				14
Gordon, Cp., Ga. 4/	5018	300	269	31?	52?														
Greensboro AAFORD, N. C.	18289	466	438	28	37	20	3?	134	7	3	4	2	1	5	2				3
Jackson, Ft., S. C.	27718	518	497	21	4?		2?	265		1	1				1				4
Keesler Field, Miss. (RH) 2/	24764	588	546	42	141	27		10?	10	2	2	1	1	10		1	1		18
McClellan, Ft., Ala. 3/	28523	636	556	80	111	102	5?	62		7	16		2	52	1				16
McPherson, Ft., Ga. 4/	13802	622	599	23	68	8?	4?	124		2	1		1	1					2
Shelby, Camp, Miss. 4/	13132	586	562	24	40	8?	4?	337						2	2				1
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	64387	475	427	48	40	2?	2?	114	3	11				1	4	5	2	2	241

FORM SG-945 11 DEC. 1944

RESTRICTED

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

** SEE NATURE OF THE DATA, PAGE 2

- 1/ ARMY SERVICE FORCES TRAINING CENTER.
- 2/ ARMY AIR FORCES BASIC TRAINING CENTER.
- 3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.
- 4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH				NUMBER OF CASES							ALL CAUSES	DISEASE	INJURY	
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	VENEREAL* (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	N'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS				
FIFTH SERVICE COMMAND	104200	464	432	32	88	10	3	61	4	12	25			9	8	1			204
Atterbury, Cp., Ind. 4/	29650	425	409	16	44		4?	53		1					1				
Campbell, Cp., Ky. (RH)	21560	198	181	17	5?			39											3
Dayton, Ohio AAF, Tech Base	9754	326	299	27?	27?	5?		123			1			1	1				2
Knox, Ft., Ky. 3/	22836	803	742	61	282	36	7?	50	1	10	24			5	1				10
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	20400	487	446	41	51	8?	3?	82	3	1				3	5	1			189
SIXTH SERVICE COMMAND	80241	499	459	40	113	10	2?	58	6	6	17		2	12	11				171
Chanute Field, Ill. (RH)	9490	570	504	66	225	16?	5?	38	1	2	6		1	3					2
Grant, Cp., Ill. 4/	5372	271	252	19?				29?											6
McCoy, Cp., Wis. 4/	7804	793	793		67	40		40			1			6	1				6
Scott Field, Ill. (RH)	14551	586	529	57	268	7?		21	2	1	6			1	1				2
Sheridan, Ft., Ill. (RH) 4/	23961	371	347	24	30	4?	4?	89	1	1	1			1	7				2
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	19063	504	447	57	93	5?		74	2	2	3		1	1	2				153

FORM SG-945 11 DEC. 1944

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
** SEE NATURE OF THE DATA, PAGE 2.

RESTRICTED

3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.
4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

INDIVIDUAL STATIONS

RESTRICTED

SERVICE COMMAND AND STATION	MEAN STRENGTH**	A D M I S S I O N S														NUMBER OF DEATHS			NUMBER OF DISPOSITIONS BY CDD
		ANNUAL RATE PER 1000 STRENGTH			ANNUAL CASE RATE PER 1000 STRENGTH					NUMBER OF CASES									
		ALL CAUSES	DISEASE	INJURY	COLDS, INFLUENZA, ETC.,	PNEUMONIA (INCLUDING ATYPICAL)	DIARRHEA AND DYSENTERY	* VENEREAL (EXCLUDING EPTS)	MEASLES	MUMPS	SCARLET FEVER	M'COCCIC MENINGITIS	RHEUMATIC FEVER	ATYPICAL PNEUMONIA	INFECTIOUS HEPATITIS	ALL CAUSES	DISEASE	INJURY	
SEVENTH SERVICE COMMAND	96324	592	565	27	155	15	2?	53	18	32	68	1	20	24		6	2	4	116
Crowder, Co., Mo. (RH) 1/	27420	689	681	8?	330	34	4?	38	1	10	43		10	18		1		1	9
Jefferson, Bks., Mo. 4/	7088	638	609	29?	29?	7?		95		1		1				1		1	1
Leavenworth, Ft., Kans. 4/	12659	559	551	8?	49	12?	8?	62	5	4	1		2	3					5
Lowry Field, Colo.	6364	434	352	82	172			8?	1	1	1		1						
Snelling, Ft., Minn. 1/	5366	340	330	10?	78	10?		29?		3				1					2
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	37427	587	547	40	94	7?		65	11	13	23		7	2		4	2	2	99
EIGHTH SERVICE COMMAND	228293	630	591	39	158	22	2	64	54	95	31	1	29	69	14	5	2	3	270
Bliss, Ft., Tex. 3/ 4/	16691	829	801	28	277	3?		75	6	10	3		3	1					
Chaffee, Co., Ark. 4/	11122	416	379	37	19?	9?	9?	70		4		1		1	1				1
Hood, Co., Texas	14652	543	511	32	28	4?		67		2				1	2				2
Jos. T. Robinson, Co., Ark. (RH) 3/	16053	968	881	87	618	16?		32	8	4	2		1	4		1		1	7
New Orleans PoE, La. 1/	9347	774	668	106	378	95		217	3	3	1		3	17	2				2
Polk, Co., La. 1/	11772	1030	946	84	239	27		71	6	9				5					
Sam Houston, Ft., Tex. 1/ 4/	26546	516	494	22	45	2?	2?	100		2					1				
San Antonio AAF, Texas (RH)	25128	751	747	4?	174	14	4?	29	12	20	6		6	4					17
Sheppard Field, Tex. (RH) 2/	24351	652	641	11?	122	75		26		24	7		12	34					4
Sill, Ft., Okla.	8129	224	205	19?	64	6?		19?	4	3	1				1				
Swift, Co., Texas (RH)	5975	174	148	26?	17?			44?	4						3				13
TOTAL: ALL STATIONS UNDER 5000 STR. & MISC. UNITS	58527	532	482	50	87	17	2?	64	11	14	11		4	2	4	4	2	2	224

FORM 96-945 11 DEC. 1944

RESTRICTED

** DOES NOT INCLUDE READMITTED CASES (i.e. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)

** SEE NATURE OF THE DATA, PAGE 2.

1/ ARMY SERVICE FORCES TRAINING CENTER.

2/ ARMY AIR FORCES BASIC TRAINING CENTER.

3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER.

4/ PERSONNEL CENTER.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

[illegible]

FORM 90-245 11 DEC. 1944

RESTRICTED

1/ ARMY SERVICE FORCES TRAINING CENTER. OFF:
 1/ PERSONNEL CENTER. MED:
 ** DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT)
 SEE NATURE OF THE DATA, PAGE 2.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

LIST OF STATIONS WITH HIGHEST MORBIDITY RATES

RESTRICTED

VOLUME VI REPORT NO. 15
WEEK ENDING 12 April 1946

STATIONS WITH STRENGTH OF 5000 OR OVER

STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK	STATION	CURRENT WEEK	PREVIOUS WEEK
ALL CAUSES ANNUAL ADMISSION RATE PER 1000			DISEASE ANNUAL ADMISSION RATE PER 1000			INJURY ANNUAL ADMISSION RATE PER 1000		
Eustis, Ft., Va. 1/	1318	1203	Eustis, Ft., Va. 1/	1275	1155	New Orleans PoE, La. 1/	106	297
Aberdeen Prov. Grd., Md. 1/	1204	1651	Aberdeen Prov. Grd., Md. 1/	1176	1596	Jos.T.Robinson, Cp., Ark. 3/	87	64
Polk, Cp., La. 1/	1030	1094	Polk, Cp., La. 1/	946	1004	Polk, Cp., La. 1/	84	90
Jos.T.Robinson, Cp., Ark. 3/	968	988	Jos.T.Robinson, Cp., Ark. 3/	881	924	Lowry Field, Colo.	82	64
Benning, Ft., Ga.	866	686	Bliss, Ft., Tex. 3/ 4/	801	865	McClellan, Ft., Ala. 3/	80	43
Bliss, Ft., Tex. 3/ 4/	829	887	Benning, Ft., Ga.	795	616	Benning, Ft., Ga.	71	70
Knox, Ft., Ky. 3/	803	878	McCoy, Cp., Wis. 4/	793	853	Chanute Field, Ill.	66	63
COLDS, INFLUENZA, ETC.* ANNUAL ADMISSION RATE PER 1000			PNEUMONIA (INCLUDING ATYPICAL) ANNUAL ADMISSION RATE PER 1000			SCARLET FEVER ANNUAL ADMISSION RATE PER 1000		
Aberdeen Prov. Grd., Md. 1/	661	844	McClellan, Ft., Ala. 3/	102	67	Crowder, Cp., Mo. 1/	82	95
Jos. T.Robinson, Cp., Ark. 3/	638	636	New Orleans PoE, La. 1/	95	40	Lee, Cp., Va. 1/	61	54
Eustis, Ft., Va. 1/	434	430	Sheppard Field, Tex. 2/	75	12	Aberdeen Prov. Grd., Md. 1/	60	122
New Orleans PoE, La. 1/	378	154	Lee, Cp., Va. 1/	65	23	Knox, Ft., Ky. 3/	55	46
Crowder, Cp., Mo. 1/	330	385	Belvoir, Ft., Va. 1/	42	40	Belvoir, Ft., Va. 1/	49	54
Knox, Ft., Ky. 3/	282	325	McCoy, Cp., Wis. 4/	40	39	Lewis, Ft., Wash. 1/ 4/	46	28
Bliss, Ft., Tex. 3/ 4/	277	400	Crowder, Cp., Mo. 1/	34	56	Chanute Field, Ill.	33	287
VENEREAL (EXCLUDING EPTI) ANNUAL ADMISSION RATE PER 1000			DISEASE EXCLUDING VENEREAL EPTS ANNUAL ADMISSION RATE PER 1000			MEASLES ANNUAL ADMISSION RATE PER 1000		
Benning, Ft., Ga.	371	274	Eustis, Ft., Va. 1/	1253	1135	Eustis, Ft., Va. 1/	43	39
Shelby, Cp., Miss. 4/	337	477	Aberdeen Prov. Grd., Md. 1/	1174	1594	Lewis, Ft., Wash. 1/ 4/	35	45
Jackson, Ft., S. C.	265	263	Polk, Cp., La. 1/	941	1004	Benning, Ft., Ga.	29	27
New Orleans, PoE, La. 1/	217	188	Jos. T. Robinson, Cp., Ark. 3/	881	921	Polk, Cp., La. 1/	27	307
Beale, Cp., Calif. 4/	195	161	Bliss, Ft., Tex. 3/ 4/	801	865	Jos.T.Robinson, Cp., Ark. 3/	26	29
Pickett, Cp., Va.	184	192	McCoy, Cp., Wis. 4/	793	853	San Antonio AAF, Tex.	25	46
Eustis, Ft., Va. 1/	178	111	Benning, Ft., Ga.	769	577	Keesler, Field, Miss. 2/	21	42

FORM 96-396E, 12 NOVEMBER 1943

RESTRICTED

* Includes Acute Catarrhal Bronchitis, Acute Coryza, Acute Catarrhal Pharyngitis, Acute Catarrhal Nasopharyngitis and Acute Catarrhal Laryngitis.

1/ ARMY SERVICE FORCES TRAINING CENTER. 4/ PERSONNEL CENTER.
2/ ARMY AIR FORCES BASIC TRAINING CENTER.
3/ ARMY GROUND FORCES REPLACEMENT TRAINING CENTER. 19

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION
HEALTH REPORTS BRANCH

WEEKLY HEALTH REPORT

RESTRICTED

VOLUME VI REPORT NO. 15
WEEK ENDING 12 April 19 46

LIST OF CASES OF DISEASES WHICH ARE OF SPECIAL INTEREST

<p><u>FILARIASIS (1)</u> 1-Atterbury, Cp., Ind.</p>	<p><u>DIPHTHERIA (11)</u> 1-Cushing GH, Mass. 1-Halloran, GH, N. Y. 5-Kilmer, Cp., N. J. 2-McCoy, Cp., Wis. 1-Sheridan, Ft., Ill. 1-McQuaide, Cp., Calif.</p>	<p><u>AMERIC DYSENTERY (16)</u> 1-Devens, Ft., Mass. 1-Lovell GH, Mass. 5-Dix, Ft., N. J. 2-Greensboro AAFORD, N. C. 1-Wakeman, GH, Ind. 2-Sheridan, Ft., Ill. 1-Leavenworth, Ft., Kans. 1-Logan, Ft., Colo. 1-Riley, Ft., Kans. 1-Sam Houston, Ft., Texas 1-Douglas, Ft., Utah 1-Mather Field, AAF, Calif.</p>	<p><u>SCABIES (107)</u> 22-Dix, Ft., N. J. 25-Bstis, Ft., Va. 34-Sam Houston, Ft., Tex. 26-Beale, Cp., Calif. TREATED AS OUT-PATIENTS 1020-Dix, Ft., N. J. 1500-Kilmer, Cp., N. J.</p>	<p><u>UNDULANT FEVER (2)</u> 1-Pinecastle AAF, Fla. 1-Pasadena (RH) Calif.</p>	<p>LISTING LIMITED TO STATIONS REPORTING 10 OR MORE CASES</p> <hr/> <p><u>STREPTOCOCCAL SORE THROAT</u> 34-Buckley Field, Colo.</p> <hr/> <p><u>GERMAN MEASLES</u> 19-Bstis, Ft., Va. 25-Lee, Cp., Va. 22-Keesler Field, Miss. 26-McClellan, Ft., Ala. 18-Knox, Ft., Ky. 26-Crowder, Cp., Mo. 29-Jos.T.Robinson, Cp., Ark. 33-Lewis, Ft., Wash.</p>
<p><u>TYPHOID FEVER (1)</u> 1-Greenville AAB, S. C.</p>	<p><u>PARATYPHOID FEVER (1)</u> 1-Grant, Cp., Ill.</p>	<p><u>ANKYLOSTOMIASIS (1)</u> 1-McCoy, Cp., Wis.</p>	<p><u>KERATOCONJUNCTIVITIS (1)</u> 1-Smoky Hill AAF, Kans.</p>	<p><u>SMALL POX (1)</u> 1-Beale, Cp., Calif.</p>	
	<p><u>COCCIDIOIDOMYCOSIS (2)</u> 2-Williams Field, Ariz.</p>				
<p>STATIONS WHERE SULFONAMIDE PROPHYLAXIS OF RESPIRATORY DISEASE IS BEING EMPLOYED IN SOME OR ALL OF UNITS</p> <hr/> <p>Crowder, Cp., Mo. Lewis, Ft., Wash.</p>					<p><u>M'COCCIG MENINGITIS AT GENERAL HOSPITALS AND STATIONS UNDER 5000 STRENGTH</u></p>

FORM SG-902 - 8 July 1944

RESTRICTED


ANALYSIS OF VENEREAL DISEASE DATA

This report, covering the four-week period ended 22 February 1946, presents an analysis of incidence of the venereal diseases among colored males and all other personnel for all units in the continental United States which submit Statistical Health Reports (WD AGO Form 8-122). Data are shown for individual stations where the colored male strength was 1000 or more; for other units in each service command the data are shown in total only.

The term "admissions" as applied to venereal diseases in this report includes not only cases "excused from duty" for at least one day (that is, remaining in a medical activity at midnight on the day of admission), but also cases treated on a duty status ("carded for record only"). Other cases are, in general, reported as "admissions" on WD AGO Form 8-122 only when excused from duty. During January, about 5600 cases of venereal disease, or 50 per cent of the reported venereal disease admissions, were carded for record only, in February, about 5300 cases, 59 per cent of the reported admissions were treated on a duty status. (Since very few, if any, cases of syphilis are treated on a duty status, carded-for-record-only cases are, by and large, personnel suffering from gonorrhea and other venereal diseases. Carded-for-record-only cases in January represented over 60 per cent of the reported admissions for these causes, and almost 75 per cent of them in February.)

The average daily number of personnel not performing duty because of a venereal disease in February was 1.01 per 1000 troops; among white troops, this rate was 0.49 per 1000; among colored troops, 6.77 per 1000. (See chart on this page.)

NONEFFECTIVENESS
DUE TO VENEREAL DISEASE
MEAN DAILY NONEFFECTIVE RATE PER 1000
CONTINENTAL UNITED STATES




MORBIDITY FROM VENEREAL DISEASES

TOTAL ARMY

CONTINENTAL UNITED STATES

ADMISSIONS PER 1000 TROOPS PER YEAR




MORBIDITY FROM VENEREAL DISEASES

ALL OTHER PERSONNEL THAN COLORED MALES

CONTINENTAL UNITED STATES

ADMISSIONS PER 1000 TROOPS PER YEAR




MORBIDITY FROM VENEREAL DISEASES

COLORED MALES

CONTINENTAL UNITED STATES

ADMISSIONS PER 1000 TROOPS PER YEAR




ANALYSIS OF VENEREAL DISEASE DATA

The average weekly number of admissions for EPTS venereal diseases during February was 155, as compared with 124 cases per week in January. The chart on this page shows the ratio of Army inductees having venereal diseases to the total number of Army inductees in each month since June of 1944.

Generally speaking, reported morbidity from "new not-EPTS" venereal diseases in February dropped away from the holiday-distorted high rates noted in January. However, the rate for syphilis among personnel other than colored males, and that for venereal diseases other than syphilis and gonorrhea among colored males remained unchanged. Increases in rates for syphilis among colored males are noted in the Second Service Command and the Military District of Washington; while the rate for other personnel moved upward in the Sixth Service Command. Reported morbidity from syphilis, both for colored males and other personnel, continued highest in the Second Service Command. Rates for gonorrhea among personnel other than colored males increased slightly in the Fourth and more sharply in the Ninth Service Command.

VENEREAL DISEASES AMONG INDUCTEES
"EPTS" CASES PER 1000 INDUCTEES



VENEREAL DISEASE NONEFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES
TOTAL ARMY IN CONTINENTAL UNITED STATES **

VOLUME VI REPORT NO. 15

SERVICE COMMAND	1946 MONTH* 1946											
	JANUARY	FEBRUARY	MARCH †	APRIL	MAY	JUNE †	JULY	AUGUST †	SEPTEMBER	OCTOBER	NOVEMBER †	DECEMBER
NONEFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	1.02	1.01										
FIRST SERVICE COMMAND	1.93	2.46										
SECOND SERVICE COMMAND	1.42	1.38										
THIRD SERVICE COMMAND	1.33	.83										
MIL.DIST.OF WASHINGTON	.41	.63										
FOURTH SERVICE COMMAND	.93	1.09										
FIFTH SERVICE COMMAND	1.11	1.39										
SIXTH SERVICE COMMAND	.64	.58										
SEVENTH SERVICE COMMAND	.93	.72										
EIGHTH SERVICE COMMAND	.74	.68										
NINTH SERVICE COMMAND	1.01	.99										
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	56840	49175										
FIRST SERVICE COMMAND	3957	4210										
SECOND SERVICE COMMAND	7482	6355										
THIRD SERVICE COMMAND	6767	4018										
MIL.DIST.OF WASHINGTON	564	871										
FOURTH SERVICE COMMAND	10440	10802										
FIFTH SERVICE COMMAND	4552	4793										
SIXTH SERVICE COMMAND	2191	1725										
SEVENTH SERVICE COMMAND	4467	2969										
EIGHTH SERVICE COMMAND	6656	5330										
NINTH SERVICE COMMAND	9764	8102										

*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY †

** These rates for 1945 are shown on page 32.

RESTRICTED

VENEREAL DISEASE NONEFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES

COLORED MALES IN ARMY IN CONTINENTAL UNITED STATES **

VOLUME VI REPORT NO. 15

SERVICE COMMAND	1946 MONTH* 1946											
	JANUARY	FEBRUARY	MARCH †	APRIL	MAY	JUNE †	JULY	AUGUST †	SEPTEMBER	OCTOBER	NOVEMBER †	DECEMBER
NONEFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	6.98	6.77										
FIRST SERVICE COMMAND	19.11	26.34										
SECOND SERVICE COMMAND	12.10	13.60										
THIRD SERVICE COMMAND	10.50	4.21										
MIL.DIST.OF WASHINGTON	11.21	13.50										
FOURTH SERVICE COMMAND	5.71	6.47										
FIFTH SERVICE COMMAND	3.96	11.60										
SIXTH SERVICE COMMAND	12.50	9.02										
SEVENTH SERVICE COMMAND	5.06	3.90										
EIGHTH SERVICE COMMAND	5.36	4.72										
NINTH SERVICE COMMAND	5.87	5.74										
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	28665	26992										
FIRST SERVICE COMMAND	1707	1826										
SECOND SERVICE COMMAND	3817	3712										
THIRD SERVICE COMMAND	4576	2466										
MIL.DIST.OF WASHINGTON	374	611										
FOURTH SERVICE COMMAND	7424	8028										
FIFTH SERVICE COMMAND	852	2166										
SIXTH SERVICE COMMAND	785	598										
SEVENTH SERVICE COMMAND	1656	1043										
EIGHTH SERVICE COMMAND	3529	3040										
NINTH SERVICE COMMAND	3945	3502										

*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY †

** These rates for 1945 are shown on page 33.

VENEREAL DISEASE NONEFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENERAL DISEASES

ARMY EXCLUSIVE OF COLORED MALES, CONTINENTAL UNITED STATES **

VOLUME VI REPORT NO. 15

SERVICE COMMAND	1946 MONTH* 1946											
	JANUARY	FEBRUARY	MARCH ‡	APRIL	MAY	JUNE ‡	JULY	AUGUST ‡	SEPTEMBER	OCTOBER	NOVEMBER ‡	DECEMBER
NONEFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	.69	.49										
FIRST SERVICE COMMAND	1.15	1.45										
SECOND SERVICE COMMAND	.74	.61										
THIRD SERVICE COMMAND	.47	.36										
MIL.DIST.OF WASHINGTON	.14	.19										
FOURTH SERVICE COMMAND	.31	.32										
FIFTH SERVICE COMMAND	.95	.81										
SIXTH SERVICE COMMAND	.42	.39										
SEVENTH SERVICE COMMAND	.63	.50										
EIGHTH SERVICE COMMAND	.38	.32										
NINTH SERVICE COMMAND	.65	.61										
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	28175	22183										
FIRST SERVICE COMMAND	2250	2384										
SECOND SERVICE COMMAND	3665	2643										
THIRD SERVICE COMMAND	2191	1552										
MIL.DIST.OF WASHINGTON	190	260										
FOURTH SERVICE COMMAND	3016	2774										
FIFTH SERVICE COMMAND	3700	2627										
SIXTH SERVICE COMMAND	1406	1127										
SEVENTH SERVICE COMMAND	2811	1926										
EIGHTH SERVICE COMMAND	3127	2290										
NINTH SERVICE COMMAND	5819	4600										

* BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. *MONTHS* WITH FIVE WEEKS INDICATED BY ‡

** These rates for 1945 are shown on page 34.

VENEREAL DISEASE ADMISSION RATES[†]

RESTRICTED

VOLUME VI REPORT NO. 15 FOR STATIONS HAVING COLORED MALE STRENGTH OF 1000 OR OVER
FOR THE 4 WEEK PERIOD ENDING 22 February 1946

SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES *												TOTAL EPTS CASES			SERVICE COMMAND AND STATION	EXCLUDING EPTS CASES *												TOTAL EPTS CASES		
	SYPHILIS			GONORRHEA			OTHER			TOTAL							SYPHILIS			GONORRHEA			OTHER			TOTAL					
	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER		TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER	TOTAL ARMY	COLORED MALE	ALL OTHER			
TOTAL UNITED STATES	11	74	6	53	334	28	3	29	1	67	437	35	5	36	2	THIRD SERV. COMD.	13	56	7	77	368	38	4	23	2	94	447	47	4	24	1
FIRST SERVICE COMD.	8	42	7	27	294	16	2	267	17	37	362	24	1	267	07	Md. Aberdeen Prov. Grd.,	5	387	17	38	228	16				43	266	17			
Stations Under 1000 Colored Strength	8	42	7	27	294	16	2	267	17	37	362	24	1	267	07	Md. Geo. G. Meade, Ft.,	23	92	12	96	354	58	8	54	17	127	500	71	14	70	5
																Lee, Cp., Va.	16	35	7	76	200	19	17	27		93	237	26	6	17	17
																Pickett, Cp., Va.	10	54	8	140	1554	64				150	1608	72			
SECOND SERV. COMD.	23	224	11	38	386	16	1	15	07	62	625	27	3	45	1	Station Under 1000 Colored Strength	10	92	6	57	592	32	7	76	3	74	760	41	07	87	
Dix, Ft., N. J.	16	335	7	23	440	11				39	775	18																			
Hancock, Ft., N. J.	9	367	47	58	223	24	37	187		70	277	28	48	223	11	MIL. DIST. OF WASH.	6	121	2	29	500	13	2	48		37	669	15	2	247	17
Kilmer, Cp., N. J.	95	580	43	60	403	23	4	33	17	159	1016	67				Station Under 1000 Colored Strength	6	121	33	29	500	195	2	48		37	669	228	2	247	167
Stations Under 1000 Colored Strength	7	61	4	40	412	17	17	97	07	48	482	21	2	26	17																
																FOURTH SERVICE COMD.	13	77	4	78	380	35	6	47	1	97	504	40	5	29	1
																Benning, Ft., Ga.	16	35	37	61	123	16	16	39		93	197	19	21	47	27
																Bragg, Ft., N. C. AARFORD	15	146	5	47	407	19	14	187	17	76	740	25	8	81	2
																Greensboro, N. C.	10	59	4	78	314	50				88	373	54			
																Jackson, Ft., S. C.	12	51	47	196	958	42	12	66	17	220	1075	47			
																McClellan, Ft., Ala.	7	22	27	47	157	14	3	15		57	194	16	3	107	17

FORM 98-727 REVISED 17 February 1945

* DOES NOT INCLUDE READMITTED CASES (I.E. CASES PREVIOUSLY REPORTED BY AN ARMY UNIT.)
† ANNUAL RATES PER 1000 STRENGTH.

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

RESTRICTED

FORM 56-727 REVISED 17 February 1945

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

RESTRICTED

RESTRICTED

RESTRICTED

ARMY SERVICE FORCES
OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION

31

VENEREAL DISEASE NON-EFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES

TOTAL ARMY IN CONTINENTAL UNITED STATES

VOLUME VI REPORT NO. 15

SERVICE COMMAND	1945 MONTH* 1945											
	JANUARY	FEBRUARY	MARCH ‡	APRIL	MAY	JUNE ‡	JULY	AUGUST ‡	SEPTEMBER	OCTOBER	NOVEMBER ‡	DECEMBER
NON-EFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	.82	.83	.80	.76	.70	.68	.67	.66	.70	.75	.87	.87
FIRST SERVICE COMMAND	1.43	1.43	1.36	1.22	1.29	1.29	1.14	1.07	1.10	1.27	1.29	1.24
SECOND SERVICE COMMAND	.96	.92	.73	.79	.64	.54	.48	.60	.74	.78	.88	1.19
THIRD SERVICE COMMAND	1.80	1.58	1.19	1.07	1.02	1.02	1.01	.95	1.18	1.21	1.59	1.45
MIL.DIST.OF WASHINGTON	.86	.64	.57	.58	.82	.76	.59	.70	.75	.67	.54	.45
FOURTH SERVICE COMMAND	.75	.79	.82	.84	.77	.77	.70	.62	.66	.77	.79	.76
FIFTH SERVICE COMMAND	.99	1.03	.98	.93	.96	.76	.94	.71	.77	.73	.80	.64
SIXTH SERVICE COMMAND	.79	.78	.61	.77	.72	.49	.50	.61	.60	.54	.75	.63
SEVENTH SERVICE COMMAND	.37	.30	.32	.27	.30	.44	.45	.61	.63	.68	.94	.91
EIGHTH SERVICE COMMAND	.82	.88	.92	.76	.65	.61	.65	.69	.67	.56	.76	.67
NINTH SERVICE COMMAND	.65	.71	.66	.67	.59	.59	.62	.63	.60	.77	.77	.88
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	69621	67544	78652	59933	55977	69934	60073	80908	70007	69447	80711	53040
FIRST SERVICE COMMAND	3342	3201	3655	2737	2864	3963	3134	3927	3572	4132	4315	3171
SECOND SERVICE COMMAND	5281	4836	4490	3722	3069	3642	3170	4888	4866	5068	5967	6294
THIRD SERVICE COMMAND	9032	7889	7833	5687	5532	6813	6015	7550	7416	7850	11290	7433
MIL.DIST.OF WASHINGTON	1273	931	1020	812	1161	1409	908	1354	1264	1166	1067	640
FOURTH SERVICE COMMAND	15597	15579	19561	16001	15063	19069	14692	17809	15316	15436	15444	9458
FIFTH SERVICE COMMAND	3716	3720	4710	3753	3890	4020	4529	5029	4210	4127	4685	2641
SIXTH SERVICE COMMAND	2245	2243	2201	2302	2273	2317	2260	4021	3195	2939	4077	2347
SEVENTH SERVICE COMMAND	2781	2258	2926	2043	2250	4259	4027	7354	6483	6390	8367	4966
EIGHTH SERVICE COMMAND	17252	17513	21744	14202	11872	13814	12152	17340	13579	10138	12871	6522
NINTH SERVICE COMMAND	9102	9374	10512	8674	8003	10628	9186	11636	10106	12201	12628	9568

*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY ‡

VENEREAL DISEASE NON-EFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES

COLORED MALES IN ARMY IN CONTINENTAL UNITED STATES

VOLUME VI REPORT NO. 15

SERVICE COMMAND	1945 MONTH* 1945											
	JANUARY	FEBRUARY	MARCH ‡	APRIL	MAY	JUNE ‡	JULY	AUGUST ‡	SEPTEMBER	OCTOBER	NOVEMBER ‡	DECEMBER
NON-EFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	5.14	5.20	4.98	4.71	4.56	4.74	5.03	4.68	4.86	5.30	6.70	6.72
FIRST SERVICE COMMAND	5.56	5.86	5.90	5.71	6.54	8.12	7.50	8.53	12.69	13.83	10.39	9.27
SECOND SERVICE COMMAND	6.59	5.98	5.03	5.41	4.34	3.80	3.39	5.05	5.78	5.42	7.18	13.0
THIRD SERVICE COMMAND	9.35	9.15	6.53	5.10	5.10	5.20	6.01	5.46	7.72	7.61	11.28	11.54
MIL.DIST.OF WASHINGTON	11.60	9.21	8.51	9.58	12.54	14.33	10.37	13.10	7.14	5.72	5.70	8.49
FOURTH SERVICE COMMAND	4.51	4.63	4.56	4.73	4.65	5.55	5.61	4.85	4.81	6.11	5.92	5.43
FIFTH SERVICE COMMAND	4.71	4.14	4.95	3.57	5.28	4.91	6.42	5.32	3.98	5.97	5.57	4.22
SIXTH SERVICE COMMAND	9.80	15.07	10.41	12.43	9.97	6.94	7.30	7.02	3.85	5.27	12.65	8.67
SEVENTH SERVICE COMMAND	2.59	1.99	2.05	1.42	1.46	1.20	2.17	3.18	3.43	4.28	5.94	5.27
EIGHTH SERVICE COMMAND	5.50	6.38	7.06	6.33	5.82	5.56	6.71	5.82	4.38	2.73	6.11	4.97
NINTH SERVICE COMMAND	3.04	2.63	3.33	3.46	3.15	3.58	3.51	2.77	3.79	5.37	5.50	5.86
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	30293	29431	33869	25615	24497	31769	26990	33607	30359	31876	41918	28006
FIRST SERVICE COMMAND	1958	1882	1900	1365	1374	1698	1203	1551	1664	1788	1947	1354
SECOND SERVICE COMMAND	2889	3068	2668	2237	1785	1885	1256	2378	2260	2044	2909	3837
THIRD SERVICE COMMAND	5812	5344	4889	3155	3205	3800	3413	3893	4521	4435	6651	4823
MIL.DIST.OF WASHINGTON	502	395	437	363	447	648	372	585	594	508	501	297
FOURTH SERVICE COMMAND	7160	7788	9472	7675	7370	10634	7907	8958	7477	9048	9754	7013
FIFTH SERVICE COMMAND	1239	925	1251	698	1071	1266	1367	1413	896	1391	1599	886
SIXTH SERVICE COMMAND	580	914	834	952	847	817	784	1133	613	741	1462	617
SEVENTH SERVICE COMMAND	1076	809	1149	713	767	788	1339	2671	2535	2862	3752	1846
EIGHTH SERVICE COMMAND	5978	5955	7635	5466	5021	5871	5750	7019	5691	3460	6803	3171
NINTH SERVICE COMMAND	3099	2351	3634	2991	2610	4362	3599	4008	4108	5599	6540	4162

*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. *MONTHS* WITH FIVE WEEKS INDICATED BY ‡

VENEREAL DISEASE NON-EFFECTIVE RATES AND DAYS LOST ON ACCOUNT OF VENEREAL DISEASES

ARMY EXCLUSIVE OF COLORED MALES, CONTINENTAL UNITED STATES

VOLUME VI REPORT NO. 15

SERVICE COMMAND	1945 MONTH* 1945											
	JANUARY	FEBRUARY	MARCH ‡	APRIL	MAY	JUNE ‡	JULY	AUGUST ‡	SEPTEMBER	OCTOBER	NOVEMBER ‡	DECEMBER
NON-EFFECTIVE RATE PER 1000 STRENGTH												
TOTAL UNITED STATES	.50	.51	.49	.47	.42	.39	.39	.41	.43	.44	.45	.44
FIRST SERVICE COMMAND	.70	.69	.74	.68	.74	.79	.74	.68	.62	.75	.75	.75
SECOND SERVICE COMMAND	.47	.37	.32	.34	.29	.28	.30	.33	.42	.51	.48	.49
THIRD SERVICE COMMAND	.73	.58	.50	.54	.49	.51	.48	.51	.51	.58	.71	.55
MIL.DIST.OF WASHINGTON	.54	.38	.34	.33	.52	.42	.36	.41	.42	.40	.30	.24
FOURTH SERVICE COMMAND	.44	.43	.46	.48	.43	.37	.35	.25	.41	.35	.32	.22
FIFTH SERVICE COMMAND	.71	.82	.76	.79	.73	.55	.69	.53	.63	.51	.55	.45
SIXTH SERVICE COMMAND	.59	.47	.39	.46	.47	.33	.33	.45	.50	.41	.49	.47
SEVENTH SERVICE COMMAND	.24	.20	.21	.19	.21	.39	.32	.42	.41	.41	.56	.61
EIGHTH SERVICE COMMAND	.56	.61	.62	.49	.39	.37	.36	.43	.41	.40	.38	.37
NINTH SERVICE COMMAND	.46	.57	.46	.47	.43	.37	.41	.40	.38	.44	.40	.53
NUMBER OF DAYS LOST												
TOTAL UNITED STATES	39328	38113	44783	34361	31480	38165	33083	47301	39648	37571	38793	25034
FIRST SERVICE COMMAND	1384	1319	1755	1372	1490	2265	1931	2376	1908	2344	2368	1817
SECOND SERVICE COMMAND	2392	1768	1822	1485	1284	1757	1914	2512	2606	3024	3058	2457
THIRD SERVICE COMMAND	3220	2545	2944	2532	2327	3013	2602	3657	2895	3415	4639	2610
MIL.DIST.OF WASHINGTON	771	536	583	449	714	761	536	769	670	658	566	343
FOURTH SERVICE COMMAND	8437	7791	10089	8369	7693	8435	6785	8851	7839	6388	5690	2445
FIFTH SERVICE COMMAND	2477	2795	3459	3055	2819	2754	3162	3616	3314	2736	3086	1755
SIXTH SERVICE COMMAND	1665	1329	1367	1350	1426	1500	1476	2888	2582	2198	2615	1730
SEVENTH SERVICE COMMAND	1705	1449	1777	1330	1483	3471	2688	4683	3948	3528	4615	3120
EIGHTH SERVICE COMMAND	11274	11558	14109	8736	6851	7943	6402	10321	7888	6678	6068	3351
NINTH SERVICE COMMAND	6003	7023	6878	5683	5393	6266	5587	7628	5998	6602	6088	5406

*BY "MONTH" IS MEANT THE FOUR OR FIVE WEEK PERIOD BASED ON THE NUMBER OF FRIDAYS IN THE CALENDAR MONTH. "MONTHS" WITH FIVE WEEKS INDICATED BY ‡

OFFICE OF THE SURGEON GENERAL
MEDICAL STATISTICS DIVISION